ELSEVIER

Gene Structure and Expression

Vol. 1264, 1995

BBA Biochimica et Biophysica Acta

Cumulative contents

Publisher's Note vii

Information for Contributors ix

Short sequence-papers and Promoter papers

Characterization of multiple prohormone convertase PC1/3 transcripts in porcine ovary
G. Dai, S.P. Smeekens, D.F. Steiner, J.P. McMurtry and S.C.M. Kwok (USA) 1

Cloning and expression of a myc family member from the pituitary gland of the Rainbow trout, *Oncorhynchus mykiss*
J.P. Panno and B.A. McKeown (Canada) 7

A cDNA encoding the human type I hair keratin hHa1
P. Fink, M.A. Rogers, B. Korge, H. Winter and J. Schweizer (Germany) 12

Cloning and sequence analysis of the TcP2β cDNA variants of *Trypanosoma cruzi*
A.G. Schijman, M.P. Vazquez, C.B. Dov, S. Ghio, H. Lorenzi and M.J. Levin (Argentina) 15

Cloning a cDNA from human NK/T cells which codes for a protein with high proline content
J. Chen, L. Liu and B. Pohajdak (Canada) 19

Molecular cloning of cDNAs encoding precursors of frog skin antimicrobial peptides from *Rana rugosa*
J.M. Park, J.Y. Lee, H.M. Moon and B.J. Lee (South Korea) 23

Molecular cloning of 25-hydroxyvitamin D-3 24-hydroxylase (Cyp-24) from mouse kidney: its inducibility by vitamin D-3
S. Itoh, T. Yoshimura, O. Iemura, E. Yamada, K. Tsujikawa, Y. Kohama and T. Mimura (Japan) 26

Possible involvement of a ubiquitous and several distinct elements in the transcription regulation of the chicken H3 histone gene family
Y. Takami and T. Nakayama (Japan) 29

Analysis of *cis*-acting regions upstream of the rat Na^+/K^+-ATPase $\alpha 1$ subunit gene by in vivo footprinting
M. Nomoto, F.J. Gonzalez, T. Mita, N. Inoue and M. Kawamura (Japan, USA) 35

Identification of a recognition element for CAAT-enhancer binding proteins (C/EBPs) in the elastin promoter
S. Piccolo, V. Marigo, D. Girotto, D. Volpin and G.M. Bressan (Italy) 40

Regular papers

Molecular cloning of two types of cDNA encoding subunit RC6-I of rat proteasomes
R. Ni, Y. Tomita, F. Tokunaga, T.J. Liang, C. Noda, A. Ichihara and K. Tanaka (Japan, USA) 45

Structure and evolution of *Paramecium* hemoglobin genes
K. Yamauchi, H. Tada and I. Usuki (Japan) 53

Detection, simultaneous display and direct sequencing of multiple nuclear hormone receptor genes using bilaterally targeted RNA fingerprinting
T. Yoshikawa, G.-q. Xing and S.D. Detera-Wadleigh (USA) 63

Hypoxia induces AP-1-regulated genes and AP-1 transcription factor binding in human endothelial and other cell types
R.S. Bandyopadhyay, M. Phelan and D.V. Faller (USA) 72

Expression of genes encoding peroxisomal proteins in *Saccharomyces cerevisiae* is regulated by different circuits of transcriptional control
W. Kos, A.J. Kal, S. Van Wilpe and H.F. Tabak (The Netherlands) 79

Mutations of *Arabidopsis thaliana* pre-$tRNA^{Tyr}$ affecting pseudouridylation of U_{35}
Z. Szweykowska-Kulinska, J. Krajewski and K. Wypijewski (Poland) 87

Rat lysyl hydroxylase: molecular cloning, mRNA distribution and expression in a baculovirus system
L.C. Armstrong and J.A. Last (USA) 93

Intragenic matrix attachment and DNA–protein interactions in the human X-linked Hprt gene
S. Chong, K.A. Taylor and A.A. Piper (Australia) 103

Conserved sequence patterns in phages Mu and λ DNA
B. Stern, A. Molven and D. Kamp (Norway) 115

Down-regulation of ornithine decarboxylase by an increased degradation of the enzyme during gastrulation of *Xenopus laevis*
U. Rosander, I. Holm, B. Grahn, H. Løvtrup-Rein, M.-O. Mattsson and O. Heby (Sweden) 121

Binding of RecA to anti-parallel poly(dA) · 2poly(dT) triple helix DNA
S.K. Kim, M. Takahashi and B. Nordén (Republic of Korea, France, Sweden) 129

Differences in DNA sequence recognition by the heat-shock factors of *Drosophila melanogaster* and the parasitic helminth *Schistosoma mansoni*
R. Levy-Holtzman, J. Clos and I. Schechter (Israel, Germany) 134
Bile salt-dependent lipase transcripts in human fetal tissues
S. Roudani, F. Miralles, A. Margotat, M.-J. Escribano and D. Lombardo (France) 141

Publisher's Note *iv*

Short sequence-papers

Cloning and primary structure of a new hemolysin gene from *Bacillus cereus*
G.E. Baida and N.P. Kuzmin (Russia) 151
A secY homologous gene in the crenarchaeon *Sulfolobus acidocaldarius*
T. Kath and G. Schäfer (Germany) 155
cDNA cloning of mouse ferredoxin reductase from kidney
S. Itoh, O. Iemura, E. Yamada, T. Yoshimura, K. Tsujikawa, Y. Kohama and T. Mimura (Japan) 159
Structure and sequence of the gene encoding the α-subunit of rat translation initiation factor-2B
K.M. Flowers, H. Mellor, S.R. Kimball and L.S. Jefferson (USA) 163
An aberrant *lck* mRNA in two human T-cell lines
L.B. Vogel, R. Arthur and D.J. Fujita (France, Canada) 168
An archaeal gene upstream of *grpE* different from eubacterial counterparts
A.J.L. Macario, V.H. Simon and E. Conway de Macario (USA) 173
Cloning and characterization of full-length cDNAs coding for the DNA topoisomerase II β from Chinese hamster lung cells sensitive and resistant to 9-OH-ellipticine
S. Dereuddre, S. Frey, C. Delaporte and A. Jacquemin-Sablon (France) 178

Regular papers

Multiple *nosZ* promoters and anaerobic expression of *nos* genes necessary for *Pseudomonas stutzeri* nitrous oxide reductase and assembly of its copper centers
H. Cuypers, J. Berghöfer and W.G. Zumft (Germany) 183
A 252 bp upstream region of the rat spermatocyte-specific hst70 gene is sufficient to promote expression of the hst70-CAT hybrid gene in testis and brain of transgenic mice
W. Widłak, M. Markkula, Z. Krawczyk, K. Kananen and I. Huhtaniemi (Poland, Finland) 191
Equilibrium model in an in vitro poly(ADP-ribose) turnover system
J. Lagueux, L. Ménard, B. Candas, G. Brochu, F. Potvin, A. Verreault, P.F. Cook and G.G. Poirier (Canada, USA) 201
Eukaryotic topoisomerase II cleavage is independent of duplex DNA conformation
I.Y. Choi, I.K. Chung and M.T. Muller (South Korea, USA) 209
Molecular cloning and sequence analysis of the rat liver carnitine octanoyltransferase cDNA, its natural gene and the gene promoter
S.J. Choi, D.H. Oh, C.S. Song, A.K. Roy and B. Chatterjee (South Korea, USA) 215
Cloning and pharmacological characterization of a rabbit bradykinin B_1 receptor
T. MacNeil, K.K. Bierilo, J.G. Menke and J.F. Hess (USA) 223
Improved leishmanicidal effect of phosphorotioate antisense oligonucleotides by LDL-mediated delivery
R.K. Mishra, C. Moreau, C. Ramazeilles, S. Moreau, J. Bonnet and J.-J. Toulmé (France) 229
The choice between alternative IIIb and IIIc exons of the FGFR-3 gene is not strictly tissue-specific
E. Scotet and E. Houssaint (France) 238
Inactivation of the 5′-3′ exonuclease of *Thermus aquaticus* DNA polymerase
L.S. Merkens, S.K. Bryan and R.E. Moses (USA) 243

Publisher's Note *v*

Short sequence-papers and Promoter paper

Characterization of the *Pseudomonas aeruginosa* transposable bacteriophage D3112 *A* and *B* genes
P.I. Ulycznyj, K.A. Salmon, H. Douillard and M.S. DuBow (Canada) 249
Cloning and sequencing of a *tpr-met* oncogene cDNA isolated from MNNG-transformed human XP fibroblasts
R. Wicker, A. Bounacer, A. Gascon, O. Brison, A. Sarasin and H.G. Suárez (France) 254
Zebrafish cyclin D1 is differentially expressed during early embryogenesis
A. Yarden, D. Salomon and B. Geiger (Israel) 257
Cloning of cDNA for rat eosinophil major basic protein
T. Nittoh, M. Watanabe, H. Okayama, S. Misawa, Y. Isobe, H. Hayashi, S. Mue and K. Ohuchi (Japan) 261
Cloning and sequence analysis of human guanidinoacetate *N*-methyltransferase cDNA
D. Isbrandt and K. Von Figura (Germany) 265
Cloning and expression analysis of the murine Rab7 cDNA

R. Vitelli, M. Chiariello, C.B. Bruni and C. Bucci (Italy) 268

The two alleles of the *hapP* gene in *Physarum polycephalum* code for different proteins
G. Lépine, A. Laroche, G. Lemieux and D. Pallotta (Canada) 271

Identification and characterization of the v-cath gene of the baculovirus, CfMNPV
J.E. Hill, J. Kuzio and P. Faulkner (Canada) 275

Cloning and sequencing of the gene coding for topoisomerase I from the extremely thermophilic eubacterium, *Thermotoga maritima*
C. Bouthier de la Tour, H. Kaltoum, C. Portemer, F. Confalonieri, R. Huber and M. Duguet (France, Germany) 279

Structural and functional analysis of the human phospho*enol*pyruvate carboxykinase gene promoter
R.M. O'Brien, R.L. Printz, N. Halmi, J.J. Tiesinga and D.K. Granner (USA) 284

Regular Papers

Partial amino acid sequence of an L-amino acid oxidase from the cyanobacterium *Synechococcus* PCC6301, cloning and DNA sequence analysis of the *aox*A gene
R. Bockholt, B. Masepohl, V. Kruft, B. Wittmann-Liebold and E.K. Pistorius (Germany) 289

Identification of transcriptionally induced Z-DNA segments in the human c-*myc* gene
S. Wölfl, B. Wittig and A. Rich (USA, Germany) 294

Expression of recombinant elongation factor 1 beta from rabbit in *Escherichia coli*. Phosphorylation by casein kinase II
C.-J. Chen and J.A. Traugh (USA) 303

Polyubiquitin in crustacean striated muscle: increased expression and conjugation during molt-induced claw muscle atrophy
B.S. Shean and D.L. Mykles (USA) 312

Formation of a free radical of the sulfenylimine type in the mouse ribonucleotide reductase reaction with 2′-azido-2′-deoxycytidine 5′-diphosphate
G. Behravan, S. Sen, U. Rova, L. Thelander, F. Eckstein and A. Gräslund (Sweden, Germany) 323

Characterization of the binding of HU and IHF, homologous histone-like proteins of *Escherichia coli*, to curved and uncurved DNA
M. Shimizu, M. Miyake, F. Kanke, U. Matsumoto and H. Shindo (Japan) 330

Differential expression of DNA topoisomerases in non-small cell lung cancer and normal lung
G. Giaccone, J. Van Ark-Otte, G. Scagliotti, G. Capranico, P. Van der Valk, G. Rubio, O. Dalesio, R. Lopez, F. Zunino, J. Walboomers and H.M. Pinedo (The Netherlands, Italy) 337

Cloning, sequence analysis and expression of mammalian mitochondrial protein synthesis elongation factor Tu
V.L. Woriax, W. Burkhart and L.L. Spremulli (USA) 347

Electroporation-induced damage in mammalian cell DNA
W.S. Meaking, J. Edgerton, C.W. Wharton and R.A. Meldrum (UK) 357

Transcription of interferon-α2 alleles from virus-induced human leucocytes and lymphoblastoid cells of African origin
C. Linge, D. Gewert, J. Ellis, D. Tucker, G. Allen and J.S. Crowe (UK) 363

Differences between nuclear run-off and mRNA levels for multidrug resistance gene expression in the cephalocaudal axis of the mouse intestine
J. Chianale, V. Vollrath, A.M. Wielandt, S. Miranda, R. Gonzalez, A.M. Fresno, C. Quintana, S. Gonzalez, L. Andrade and S. Guzman (Chile) 369

Mammalian mitochondrial DNA topoisomerase I preferentially relaxes supercoils in plasmids containing specific mitochondrial DNA sequences
Z. Topcu and F.J. Castora (USA) 377

Characterization of human E4BP4, a phosphorylated bZIP factor
W.-J. Chen, K.S. Lewis, G. Chandra, J.P. Cogswell, S.W. Stinnett, S.H. Kadwell and J.G. Gray (USA) 388

IAP retrotransposons in the mouse liver as reporters of ageing
A. Dupressoir, A. Puech and T. Heidmann (France) 397

The human insulin-like growth factor II leader 1 contains an internal ribosomal entry site
H. Teerink, H.O. Voorma and A.A.M. Thomas (The Netherlands) 403

Erratum

Erratum to "Regulation of c-jun mRNA expression by hydroxyurea in human K562 cells during erythroid differentiation" [Biochim. Biophys. Acta 1263 (1995) 123–132]
S.E. Adunyah, R. Chander, V.K. Barner and R.S. Cooper 409

Cumulative contents, Vol. 1264 411

Author index 415